



# New Accessibility Requirements for Disabled Parking Spaces

Effective August 1st, 2020, the Texas Department of Licensing and Regulations amended Texas administrative rule §68.104, regarding accessible parking spaces for buildings and facilities.


**FAILURE TO HAVE THE CORRECT  
ACCESSIBILITY PARKING  
REQUIREMENTS WILL RESULT IN  
DISCONTINUANCE OF ENFORCEMENT.**

## All ACCESSIBLE PARKING SPACES MUST HAVE:

1. The International Symbol of Accessibility is painted conspicuously on the surface in a color that contrasts with the pavement;
2. The words “NO PARKING” are painted on any access aisle adjacent to the parking space. The words must be painted:
  - a) In all capital letters
  - b) With a letter height of at least twelve (12) inches, and a stroke width of at least two (2) inches; and
  - c) Centered within each access aisle adjacent to the parking space.
3. A sign identifying the consequences of parking illegally in a paved accessible parking space. The sign must:
  - a) At a minimum, state “Violators Subject to Fine and Towing” in a letter height of at least one inch.
  - b) Be mounted on a pole, post, wall, or freestanding board.
  - c) Be no more than eight inches below a sign required by Texas Accessibility Standards, 502.6.
  - d) Be installed so that the bottom edge of the sign is no lower than 48 inches and no higher than 80 inches above ground level.

Sign must identify the consequences of parking illegally in a paved accessible parking space.

The words “NO PARKING” are painted on any access aisle adjacent to the parking space.



International Symbol of Accessibility painted conspicuously on the surface in a color that contrasts the pavement

- All Capital Letters
- 12" Min Character Height
- 2" Min Width

# Questions

Enforcement:  
Chief Mercer, City of Early  
Police Department  
325.646.5322

Regulations:  
City of Early Texas  
(325) 643-5451  
Department of Licensing  
and Regulations  
512.463.6599